

AcroT<sub>E</sub>X.Net

## Testing the aebxmp Package

D. P. Story

## 1. Viewing Metadata


Press **Ctrl+D**, select the **Description** tab, and click **Additional Metadata** to inspect the copyright metadata, populated by the `aebxmp` package; or, just click on this button

## 2. Custom Document Properties

You can define custom properties using the `\customProperties` command.

```
\customProperties
{%
    {name=<name1>,value=<value1>}
    {name=<name2>,value=<value2>}
}
```

The value of the `name` key requires a unique name, which must not be one of the standard property names `Title`, `Author`, `Subject`, `Keywords`, `Creator`, `Producer`, `CreationDate`, `ModDate`, and `Trapped`.

The properties may be accessed through the `info` property of the `Doc` object. The button  opens the console debugger window and displays all the document properties. Notice in the window, the keywords are listed twice: the first time is the value of `this.info.Keywords`, single string;

the second time you see the keywords listed individually. The individual keywords are accessed using the `aKeywords()` function, see the `aeb_xmp` documentation for more details.

The custom properties may be viewed using the user interface; press `Ctrl+D` and choose the `Custom` tab.

### 3. Authors

As mentioned in the documentation, a new command `\Authors` was defined; for this document, we have in the preamble,

```
\Authors{{D. P. Story}{J\u00FCrgen Gilg}}
```

Each author can be accessed individually; the button lists out the authors in the debugger console.