

# The `telprint` package

Heiko Oberdiek  
<heiko.oberdiek at gmail.com>

2008/08/11 v1.10

## Abstract

Package `telprint` provides `\telprint` for formatting German phone numbers.

## Contents

<b>1</b>	<b>Documentation</b>	<b>2</b>
1.1	Introduction	2
1.2	Short overview in English	2
1.2.1	Configuration	2
1.3	Documentation in German	2
<b>2</b>	<b>Implementation</b>	<b>3</b>
2.1	Reload check and package identification	3
2.2	Catcodes	4
2.3	Package macros	5
<b>3</b>	<b>Test</b>	<b>7</b>
3.1	Catcode checks for loading	7
<b>4</b>	<b>Installation</b>	<b>9</b>
4.1	Download	9
4.2	Bundle installation	9
4.3	Package installation	9
4.4	Refresh file name databases	10
4.5	Some details for the interested	10
<b>5</b>	<b>Catalogue</b>	<b>10</b>
<b>6</b>	<b>History</b>	<b>11</b>
	[1996/11/28 v1.0]	11
	[1997/09/16 v1.1]	11
	[1997/10/16 v1.2]	11
	[1997/12/09 v1.3]	11
	[2004/11/02 v1.4]	11
	[2005/09/30 v1.5]	11
	[2006/02/12 v1.6]	12
	[2006/08/26 v1.7]	12
	[2007/04/11 v1.8]	12
	[2007/09/09 v1.9]	12
	[2008/08/11 v1.10]	12
<b>7</b>	<b>Index</b>	<b>12</b>

# 1 Documentation

## 1.1 Introduction

This is a very old package that I have written to format phone numbers. It follows German conventions and the documentation is mainly in German.

## 1.2 Short overview in English

L<sup>A</sup>T<sub>E</sub>X:

```
\usepackage{telprint}
\telprint{123/456-789}
```

plain T<sub>E</sub>X:

```
\input telprint.sty
\telprint{123/456-789}
```

`\telprint` `\telprint{...}` formats the explicitly given number. Digits, spaces and some special characters ('+', '/', '-', '(', ')', '~', ' ') are supported. Numbers are divided into groups of two digits from the right. Examples:

```
\telprint{0761/12345}    ==> 07\,61/1\,23\,45
\telprint{01234/567-89} ==> 0\,12\,34/5\,67\leavevmode\hbox{-}89
\telprint{+49 (6221) 297} ==> +49~(62\,21)~2\,97
```

### 1.2.1 Configuration

The output of the symbols can be configured by `\telhyphen`, `\telslash`, `\telleftparen`, `\telrightparen`, `\telplus`, `\teltilde`. Example:

```
\telslash{\,/,\,}\ \telprint{12/34} ==> 12\,/,\,34
```

`\telspace` `\telspace` configures the space between digit groups.  
`\telnumber` `\telnumber` only formats a number in digit groups; special characters are not recognized.

## 1.3 Documentation in German

`\telprint`

- `telprint#1`  
Der eigentliche Anwenderbefehl zur formatierten Ausgabe von Telefonnummern. Diese dürfen dabei nur als Zahlen angegeben werden (, da sie tokenweise analysiert werden). Als Trenn- oder Sonderzeichen werden unterstützt: '+', '/', '-', '(', ')', '~', ' '. Einfache Leerzeichen werden erkannt und durch Tilden ersetzt, um Trennungen in der Telefonnummer zu verhindern. (Man beachte aus gleichem Grunde die `\hbox` bei '-'). Beispiele:

```
\telprint{0761/12345}    ==> 07\,61/1\,23\,45
\telprint{01234/567-89} ==> 0\,12\,34/5\,67\leavevmode\hbox{-}89
\telprint{+49 (6221) 297} ==> +49~(62\,21)~2\,97
```

Der Rest enthält eher Technisches:

`\telspace`

- `\telspace#1`  
Mit diesem Befehl wird der Abstand zwischen den Zifferngruppen angegeben (Default: \,). (Durch `\telspace{}` kann dieser zusätzliche Abstand abgestellt werden.)

- `\telhyphen`

`\telslash`

`\telleftparen`

`\telrightparen`

`\telplus`

`\teltilde`

`\telnumber`

- `\telhyphen#1`  
Dieser Befehl gibt die Art des Bindestriches, wie er ausgegeben werden soll. In der Eingabe darf jedoch nur der einfache Bindestrich stehen: `\telprint{123-45}`, jedoch NIE `\telprint{123--45}`! Kopka-Bindestrich-Fans geben an: `\telhyphen{\leavevmode\hbox{--}}`
  - `\telslash#1`, `\telleftparen#1`, `\telrightparen#1`, `\telplus#1`, `\teltilde`  
Diese Befehle konfigurieren die Zeichen `'/'`, `'(, )'`, `'+'` und `'~'`. Sie funktionieren analog zu `\telhyphen`.
  - `\telnumber#1`  
Richtung interner Befehl: Er dient dazu, eine Zifferngruppe in Zweiergruppen auszugeben. Die einzelnen Zahlen werden im Tokenregister `\TELToks` gespeichert. Abwechselnd werden dabei zwischen zwei Token (Zahlen) `\TELx` bzw. `\TELy` eingefuegt, abhängig von dem wechselnden Wert von `\TELswitch`. Zum Schluss kann dann einfach festgestellt werden ob die Nummer nun eine geradzahlige oder ungeradzahlige Zahl von Ziffern aufwies. Dem entsprechend wird `\TELx` mit dem Zusatzabstand belegt und `\TELy` leer definiert oder umgekehrt. )
  - `\TEL...` interne Befehle, Technisches:  
`\TELsplit` dient zur Aufteilung einer zusammengesetzten Telefonnummer (Vorwahl, Hauptnummer, Nebenstelle). In dieser Implementation werden als Trennzeichen nur `'/'` und `'-'` erkannt. Die einzelnen Bestandteile wie Vorwahl werden dann dem Befehl `\telnumber` zur Formatierung uebergeben.
  - Die Erkennung von einfachen Leerzeichen ist um einiges schwieriger: Die Tokentrennung ueber Parameter `#1#2` funktioniert nicht für einfache Leerzeichen, da TeX sie *niemals* als eigenständige Argumente behandelt! (The TeXbook, Chapter 20, p. 201)  
  
(Anmerkung am Rande: Deshalb funktionieren die entsprechenden Tokenmakros auf S. 149 des Buches „Einführung in TeX“ von N. Schwarz (3. Aufl.) nicht, wenn im Tokenregister als erstes ein einfaches Leerzeichen steht!)

## 2 Implementation

```
1 <*package>
```

### 2.1 Reload check and package identification

Reload check, especially if the package is not used with L<sup>A</sup>T<sub>E</sub>X.

```
2 \begingroup\catcode61\catcode48\catcode32=10\relax%
3 \catcode13=5 % ^~M
4 \endlinechar=13 %
5 \catcode35=6 % #
6 \catcode39=12 % '
7 \catcode44=12 % ,
8 \catcode45=12 % -
9 \catcode46=12 % .
10 \catcode58=12 % :
11 \catcode64=11 % @
12 \catcode123=1 % {
13 \catcode125=2 % }
14 \expandafter\let\expandafter\x\csname ver@telprint.sty\endcsname
15 \ifx\x\relax % plain-TeX, first loading
16 \else
17 \def\empty{}%
18 \ifx\x\empty % LaTeX, first loading,
19 % variable is initialized, but \ProvidesPackage not yet seen
20 \else
```

```

21 \expandafter\ifx\csname PackageInfo\endcsname\relax
22 \def\x#1#2{%
23 \immediate\write-1{Package #1 Info: #2.}%
24 }%
25 \else
26 \def\x#1#2{\PackageInfo{#1}{#2, stopped}}%
27 \fi
28 \x{telprint}{The package is already loaded}%
29 \aftergroup\endinput
30 \fi
31 \fi
32 \endgroup%

```

Package identification:

```

33 \begingroup\catcode61\catcode48\catcode32=10\relax%
34 \catcode13=5 % ^~M
35 \endlinechar=13 %
36 \catcode35=6 % #
37 \catcode39=12 % '
38 \catcode40=12 % (
39 \catcode41=12 % )
40 \catcode44=12 % ,
41 \catcode45=12 % -
42 \catcode46=12 % .
43 \catcode47=12 % /
44 \catcode58=12 % :
45 \catcode64=11 % @
46 \catcode91=12 % [
47 \catcode93=12 % ]
48 \catcode123=1 % {
49 \catcode125=2 % }
50 \expandafter\ifx\csname ProvidesPackage\endcsname\relax
51 \def\x#1#2#3[#4]{\endgroup
52 \immediate\write-1{Package: #3 #4}%
53 \xdef#1{#4}%
54 }%
55 \else
56 \def\x#1#2[#3]{\endgroup
57 #2[#{#3}]%
58 \ifx#1@undefined
59 \xdef#1{#3}%
60 \fi
61 \ifx#1\relax
62 \xdef#1{#3}%
63 \fi
64 }%
65 \fi
66 \expandafter\x\csname ver@telprint.sty\endcsname
67 \ProvidesPackage{telprint}%
68 [2008/08/11 v1.10 Format German phone numbers (H0)]%

```

## 2.2 Catcodes

```

69 \begingroup\catcode61\catcode48\catcode32=10\relax%
70 \catcode13=5 % ^~M
71 \endlinechar=13 %
72 \catcode123=1 % {
73 \catcode125=2 % }
74 \catcode64=11 % @
75 \def\x{\endgroup
76 \expandafter\edef\csname TELAtEnd\endcsname{%
77 \endlinechar=\the\endlinechar\relax
78 \catcode13=\the\catcode13\relax

```

```

79     \catcode32=\the\catcode32\relax
80     \catcode35=\the\catcode35\relax
81     \catcode61=\the\catcode61\relax
82     \catcode64=\the\catcode64\relax
83     \catcode123=\the\catcode123\relax
84     \catcode125=\the\catcode125\relax
85   }%
86 }%
87 \x\catcode61\catcode48\catcode32=10\relax%
88 \catcode13=5 % ^M
89 \endlinechar=13 %
90 \catcode35=6 % #
91 \catcode64=11 % @
92 \catcode123=1 % {
93 \catcode125=2 % }
94 \def\TMP@EnsureCode#1#2{%
95   \edef\TELAtEnd{%
96     \TELAtEnd
97     \catcode#1=\the\catcode#1\relax
98   }%
99   \catcode#1=#2\relax
100 }
101 \TMP@EnsureCode{33}{12}% !
102 \TMP@EnsureCode{36}{3}% $
103 \TMP@EnsureCode{40}{12}% (
104 \TMP@EnsureCode{41}{12}% )
105 \TMP@EnsureCode{42}{12}% *
106 \TMP@EnsureCode{43}{12}% +
107 \TMP@EnsureCode{44}{12}% ,
108 \TMP@EnsureCode{45}{12}% -
109 \TMP@EnsureCode{46}{12}% .
110 \TMP@EnsureCode{47}{12}% /
111 \TMP@EnsureCode{91}{12}% [
112 \TMP@EnsureCode{93}{12}% ]
113 \TMP@EnsureCode{126}{13}% ~ (active)
114 \edef\TELAtEnd{\TELAtEnd\noexpand\endinput}

```

## 2.3 Package macros

```

115 \ifx\DeclareRobustCommand\UnDeFiNeD
116   \def\DeclareRobustCommand##1[1]{\def##1##1}%
117   \def\TELreset{\let\DeclareRobustCommand=\UnDeFiNeD}%
118   \input infwarerr.sty\relax
119   \@PackageInfo{telprint}{%
120     Macros are not robust!%
121   }%
122 \else
123   \let\TELreset=\relax
124 \fi

\telspace
125 \DeclareRobustCommand*\telspace[1]{\def\TELspace{#1}}
126 \telspace{ }$ , ${}

\telhyphen
127 \DeclareRobustCommand*\telhyphen[1]{\def\TELhyphen{#1}}
128 \telhyphen{\leavevmode\hbox{-}}% \hbox zur Verhinderung der Trennung

\telslash
129 \DeclareRobustCommand*\telslash[1]{\def\TELslash{#1}}
130 \telslash{/}%

\telleftparen

```

```

131 \DeclareRobustCommand*\telleftparen}[1]{\def\TELleftparen{#1}}
132 \telleftparen{ }%

\telrightparen
133 \DeclareRobustCommand*\telrightparen}[1]{\def\TELrightparen{#1}}
134 \telrightparen{ }%

\telplus
135 \DeclareRobustCommand*\telplus}[1]{\def\TELplus{#1}}
136 \telplus{+}%

\teltilde
137 \DeclareRobustCommand*\teltilde}[1]{\def\TELtilde{#1}}
138 \teltilde{-}%

\TELToks
139 \newtoks\TELToks

\TELnumber
140 \def\TELnumber#1#2\TELnumberEND{%
141   \begingroup
142   \def\0{#2}%
143   \expandafter\endgroup
144   \ifx\0\empty
145     \TELToks=\expandafter{\the\TELToks#1}%
146     \ifnum\TELswitch=0 %
147       \def\TELx{\TELSpace}\def\TELy{}%
148     \else
149       \def\TELx{}\def\TELy{\TELSpace}%
150     \fi
151     \the\TELToks
152   \else
153     \ifnum\TELswitch=0 %
154       \TELToks=\expandafter{\the\TELToks#1\TELx}%
155       \def\TELswitch{1}%
156     \else
157       \TELToks=\expandafter{\the\TELToks#1\TELy}%
158       \def\TELswitch{0}%
159     \fi
160     \TELnumber#2\TELnumberEND
161   \fi
162 }

\telnumber
163 \DeclareRobustCommand*\telnumber}[1]{%
164   \TELToks={}%
165   \def\TELswitch{0}%
166   \TELnumber#1}\TELnumberEND
167 }

\TELSplit
168 \def\TELSplit{\futurelet\TELfuture\TELDosplit}

\TELDosplit
169 \def\TELDosplit#1#2\TELSplitEND
170 {%
171   \def\TELsp{ }%
172   \expandafter\ifx\TELsp\TELfuture
173     \let\TELfuture=\relax
174     \expandafter\telnumber\expandafter{\the\TELToks}~%
175     \telprint{#1#2}% Das Leerzeichen kann nicht #1 sein!
176   \else

```

```

177 \def\TELfirst{#1}%
178 \ifx\TELfirst\empty
179 \expandafter\telnumber\expandafter{\the\TELToks}%
180 \TELToks={}%
181 \else\if-\TELfirst
182 \expandafter\telnumber\expandafter{\the\TELToks}\TELhyphen
183 \telprint{#2}%
184 \else\if/\TELfirst
185 \expandafter\telnumber\expandafter{\the\TELToks}\TELSlash
186 \telprint{#2}%
187 \else\if(\TELfirst
188 \expandafter\telnumber\expandafter{\the\TELToks}\TELleftparen
189 \telprint{#2}%
190 \else\if)\TELfirst
191 \expandafter\telnumber\expandafter{\the\TELToks}\TELrightparen
192 \telprint{#2}%
193 \else\if+\TELfirst
194 \expandafter\telnumber\expandafter{\the\TELToks}\TELplus
195 \telprint{#2}%
196 \else\def\TELtemp{~}\ifx\TELtemp\TELfirst
197 \expandafter\telnumber\expandafter{\the\TELToks}\TELtilde
198 \telprint{#2}%
199 \else
200 \TELToks=\expandafter{\the\TELToks#1}%
201 \TELSplit#2{\TELSplitEND
202 \fi\fi\fi\fi\fi\fi\fi
203 \fi
204 }

```

\telprint

```

205 \DeclareRobustCommand*\telprint}[1]{%
206 \TELToks={}%
207 \TELSplit#1{\TELSplitEND
208 }

209 \TELreset\let\TELreset=\UnDeFiNeD

210 \TELAtEnd%
211 </package>

```

## 3 Test

### 3.1 Catcode checks for loading

```

212 <*test1>

213 \catcode`\{=1 %
214 \catcode`\}=2 %
215 \catcode`\#=6 %
216 \catcode`\@=11 %
217 \expandafter\ifx\csname count@\endcsname\relax
218 \countdef\count@=255 %
219 \fi
220 \expandafter\ifx\csname @gobble\endcsname\relax
221 \long\def\@gobble#1{}%
222 \fi
223 \expandafter\ifx\csname @firstofone\endcsname\relax
224 \long\def\@firstofone#1{#1}%
225 \fi
226 \expandafter\ifx\csname loop\endcsname\relax
227 \expandafter\@firstofone
228 \else
229 \expandafter\@gobble

```

```

230 \fi
231 {%
232   \def\loop#1\repeat{%
233     \def\body{#1}%
234     \iterate
235   }%
236   \def\iterate{%
237     \body
238     \let\next\iterate
239   \else
240     \let\next\relax
241   \fi
242   \next
243 }%
244 \let\repeat=\fi
245 }%
246 \def\RestoreCatcodes{}
247 \count@=0 %
248 \loop
249   \edef\RestoreCatcodes{%
250     \RestoreCatcodes
251     \catcode\the\count@=\the\catcode\count@\relax
252   }%
253   \ifnum\count@<255 %
254     \advance\count@ 1 %
255   \repeat
256
257 \def\RangeCatcodeInvalid#1#2{%
258   \count@=#1\relax
259   \loop
260     \catcode\count@=15 %
261     \ifnum\count@<#2\relax
262       \advance\count@ 1 %
263     \repeat
264 }
265 \def\RangeCatcodeCheck#1#2#3{%
266   \count@=#1\relax
267   \loop
268     \ifnum#3=\catcode\count@
269     \else
270       \errmessage{%
271         Character \the\count@\space
272         with wrong catcode \the\catcode\count@\space
273         instead of \number#3%
274       }%
275     \fi
276     \ifnum\count@<#2\relax
277       \advance\count@ 1 %
278     \repeat
279 }
280 \def\space{ }
281 \expandafter\ifx\csname LoadCommand\endcsname\relax
282   \def\LoadCommand{\input telprint.sty\relax}%
283 \fi
284 \def\Test{%
285   \RangeCatcodeInvalid{0}{47}%
286   \RangeCatcodeInvalid{58}{64}%
287   \RangeCatcodeInvalid{91}{96}%
288   \RangeCatcodeInvalid{123}{255}%
289   \catcode`\@=12 %
290   \catcode`\|=0 %
291   \catcode`\%=14 %

```



```

292 \LoadCommand
293 \RangeCatcodeCheck{0}{36}{15}%
294 \RangeCatcodeCheck{37}{37}{14}%
295 \RangeCatcodeCheck{38}{47}{15}%
296 \RangeCatcodeCheck{48}{57}{12}%
297 \RangeCatcodeCheck{58}{63}{15}%
298 \RangeCatcodeCheck{64}{64}{12}%
299 \RangeCatcodeCheck{65}{90}{11}%
300 \RangeCatcodeCheck{91}{91}{15}%
301 \RangeCatcodeCheck{92}{92}{0}%
302 \RangeCatcodeCheck{93}{96}{15}%
303 \RangeCatcodeCheck{97}{122}{11}%
304 \RangeCatcodeCheck{123}{255}{15}%
305 \RestoreCatcodes
306 }
307 \Test
308 \csname @@end\endcsname
309 \end
310 </test1>

```

## 4 Installation

### 4.1 Download

**Package.** This package is available on CTAN<sup>1</sup>:

[CTAN:macros/latex/contrib/oberdiek/telprint.dtx](#) The source file.

[CTAN:macros/latex/contrib/oberdiek/telprint.pdf](#) Documentation.

**Bundle.** All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

[CTAN:install/macros/latex/contrib/oberdiek.tds.zip](#)

TDS refers to the standard “A Directory Structure for  $\TeX$  Files” ([CTAN:tds/tds.pdf](#)). Directories with `texmf` in their name are usually organized this way.

### 4.2 Bundle installation

**Unpacking.** Unpack the `oberdiek.tds.zip` in the TDS tree (also known as `texmf` tree) of your choice. Example (linux):

```
unzip oberdiek.tds.zip -d ~/texmf
```

**Script installation.** Check the directory `TDS:scripts/oberdiek/` for scripts that need further installation steps. Package `attachfile2` comes with the Perl script `pdfatfi.pl` that should be installed in such a way that it can be called as `pdfatfi`. Example (linux):

```
chmod +x scripts/oberdiek/pdfatfi.pl
cp scripts/oberdiek/pdfatfi.pl /usr/local/bin/
```

### 4.3 Package installation

**Unpacking.** The `.dtx` file is a self-extracting `docstrip` archive. The files are extracted by running the `.dtx` through plain  $\TeX$ :

```
tex telprint.dtx
```

---

<sup>1</sup><http://ftp.ctan.org/tex-archive/>

**TDS.** Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

```
telprint.sty          → tex/generic/oberdiek/telprint.sty
telprint.pdf          → doc/latex/oberdiek/telprint.pdf
test/telprint-test1.tex → doc/latex/oberdiek/test/telprint-test1.tex
telprint.dtx          → source/latex/oberdiek/telprint.dtx
```

If you have a `docstrip.cfg` that configures and enables `docstrip`'s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

#### 4.4 Refresh file name databases

If your  $\text{T}_{\text{E}}\text{X}$  distribution (te $\text{T}_{\text{E}}\text{X}$ , mi $\text{kT}_{\text{E}}\text{X}$ , ...) relies on file name databases, you must refresh these. For example, te $\text{T}_{\text{E}}\text{X}$  users run `texhash` or `mktexlsr`.

#### 4.5 Some details for the interested

**Attached source.** The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is `pdftk`, e.g. unpack the file into the current directory:

```
pdftk telprint.pdf unpack_files output .
```

**Unpacking with  $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ .** The `.dtx` chooses its action depending on the format:

**plain  $\text{T}_{\text{E}}\text{X}$ :** Run `docstrip` and extract the files.

**$\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ :** Generate the documentation.

If you insist on using  $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$  for `docstrip` (really, `docstrip` does not need  $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ ), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{telprint.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

**Generating the documentation.** You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with pdf $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ :

```
pdflatex telprint.dtx
makeindex -s gind.ist telprint.idx
pdflatex telprint.dtx
makeindex -s gind.ist telprint.idx
pdflatex telprint.dtx
```

## 5 Catalogue

The following XML file can be used as source for the  [\$\text{T}\_{\text{E}}\text{X}\$  Catalogue](#). The elements `caption` and `description` are imported from the original XML file from the Catalogue. The name of the XML file in the Catalogue is `telprint.xml`.

```
311 <?catalogue>
312 <?xml version='1.0' encoding='us-ascii'?>
313 <!DOCTYPE entry SYSTEM 'catalogue.dtd'>
314 <entry datestamp='$Date$' modifier='$Author$' id='telprint'>
```

```

315 <name>telprint</name>
316 <caption>Format German phone numbers.</caption>
317 <authorref id='auth:oberdiek' />
318 <copyright owner='Heiko Oberdiek' year='1996,1997,2004-2008' />
319 <license type='lppl1.3' />
320 <version number='1.10' />
321 <description>
322   The package provides a command <tt>\telprint</tt> for formatting
323   German telephone numbers.
324   <p/>
325   The package is part of the <xref refid='oberdiek'>oberdiek</xref>
326   bundle.
327 </description>
328 <documentation details='Package documentation'
329   href='ctan:/macros/latex/contrib/oberdiek/telprint.pdf' />
330 <ctan file='true' path='/macros/latex/contrib/oberdiek/telprint.dtx' />
331 <miktex location='oberdiek' />
332 <texlive location='oberdiek' />
333 <install path='/macros/latex/contrib/oberdiek/oberdiek.tds.zip' />
334 </entry>
335 </catalogue>

```

## 6 History

### [1996/11/28 v1.0]

- Erste lauffähige Version.
- Nur '-' und '/' als zulässige Sonderzeichen.

### [1997/09/16 v1.1]

- Dokumentation und Kommentare (Posting in de.comp.text.tex).
- Erweiterung um Sonderzeichen '(, )', '+', '~' und ' '.
- Trennungsverhinderung am 'hyphen'.

### [1997/10/16 v1.2]

- Schutz vor wiederholtem Einlesen.
- Unter L<sup>A</sup>T<sub>ε</sub>X Nutzung des \DeclareRobustCommand-Features.

### [1997/12/09 v1.3]

- Temporäre Variable eingespart.
- Posted in newsgroup [de.comp.text.tex](#):  
“[Re: Generisches Markup für Telefonnummern?](#)”<sup>2</sup>

### [2004/11/02 v1.4]

- Fehler in der Dokumentation korrigiert.

### [2005/09/30 v1.5]

- Konfigurierbare Symbole: '/', '(, )', '+', '~'.

<sup>2</sup>Url: <http://groups.google.com/group/de.comp.text.tex/msg/86b3a86140007309>

## [2006/02/12 v1.6]

- LPPL 1.3.
- Kurze Übersicht in Englisch.
- CTAN.

## [2006/08/26 v1.7]

- New DTX framework.

## [2007/04/11 v1.8]

- Line ends sanitized.

## [2007/09/09 v1.9]

- Catcode section added.
- Missing docstrip tag added.

## [2008/08/11 v1.10]

- Code is not changed.
- URLs updated.

## 7 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; plain numbers refer to the code lines where the entry is used.

	<b>Symbols</b>			
<code>\#</code> .....	215	81, 82, 83, 84, 87, 88, 90, 91, 92, 93, 97, 99, 213, 214, 215, 216,		
<code>\%</code> .....	291	251, 260, 268, 272, 289, 290, 291		
<code>\,</code> .....	126	<code>\count@</code> .....	218, 247,	
<code>\@</code> .....	216, 289	251, 253, 254, 258, 260, 261,		
<code>\@PackageInfo</code> .....	119	262, 266, 268, 271, 272, 276, 277		
<code>\@firstofone</code> .....	224, 227	<code>\countdef</code> .....	218	
<code>\@gobble</code> .....	221, 229	<code>\csname</code> .....	14, 21, 50,	
<code>\@undefined</code> .....	58	66, 76, 217, 220, 223, 226, 281, 308		
<code>\@</code> .....	290			
<code>\{</code> .....	213		<b>D</b>	
<code>\}</code> .....	214	<code>\DeclareRobustCommand</code> .....		
		.....	115, 116, 117, 125, 127, 129, 131, 133, 135, 137, 163, 205	
	<b>Numbers</b>			
<code>\0</code> .....	142, 144		<b>E</b>	
	<b>A</b>		<code>\empty</code> .....	17, 18, 144, 178
<code>\advance</code> .....	254, 262, 277		<code>\end</code> .....	309
<code>\aftergroup</code> .....	29		<code>\endcsname</code> .....	14, 21, 50, 66, 76, 217, 220, 223, 226, 281, 308
	<b>B</b>		<code>\endinput</code> .....	29, 114
<code>\body</code> .....	233, 237		<code>\endlinchar</code> .....	4, 35, 71, 77, 89
	<b>C</b>		<code>\errmessage</code> .....	270
<code>\catcode</code> .....	2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 13, 33, 34, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 69, 70, 72, 73, 74, 78, 79, 80,		<b>F</b>	
			<code>\futurelet</code> .....	168
			<b>H</b>	
			<code>\hbox</code> .....	128

<b>I</b>	
<code>\if</code> .....	181, 184, 187, 190, 193
<code>\ifnum</code> ....	146, 153, 253, 261, 268, 276
<code>\ifx</code> .....	15,
	18, 21, 50, 58, 61, 115, 144, 172,
	178, 196, 217, 220, 223, 226, 281
<code>\immediate</code> .....	23, 52
<code>\input</code> .....	118, 282
<code>\iterate</code> .....	234, 236, 238
<b>L</b>	
<code>\leavevmode</code> .....	128
<code>\LoadCommand</code> .....	282, 292
<code>\loop</code> .....	232, 248, 259, 267
<b>N</b>	
<code>\newtoks</code> .....	139
<code>\next</code> .....	238, 240, 242
<code>\number</code> .....	273
<b>P</b>	
<code>\PackageInfo</code> .....	26
<code>\ProvidesPackage</code> .....	19, 67
<b>R</b>	
<code>\RangeCatcodeCheck</code> .....	
	265, 293, 294, 295, 296, 297,
	298, 299, 300, 301, 302, 303, 304
<code>\RangeCatcodeInvalid</code> .....	
	257, 285, 286, 287, 288
<code>\repeat</code> .....	232, 244, 255, 263, 278
<code>\RestoreCatcodes</code> ..	246, 249, 250, 305
<b>S</b>	
<code>\space</code> .....	271, 272, 280
<b>T</b>	
<code>\TELAtEnd</code> .....	95, 96, 114, 210
<code>\TELdosplit</code> .....	168, 169
<code>\TELfirst</code> .....	177,
	178, 181, 184, 187, 190, 193, 196
<code>\TELfuture</code> .....	168, 172, 173
<code>\TELhyphen</code> .....	127, 182
<code>\telhyphen</code> .....	3, 127
<code>\TELleftparen</code> .....	131, 188
<code>\telleftparen</code> .....	3, 131
<code>\TELnumber</code> .....	140, 166
<code>\telnumber</code> .....	2, 3, 163, 174,
	179, 182, 185, 188, 191, 194, 197
<code>\TELnumberEND</code> .....	140, 160, 166
<code>\TELplus</code> .....	135, 194
<code>\telplus</code> .....	3, 135
<code>\telprint</code> .....	2, 2, 175, 183,
	186, 189, 192, 195, 198, 205, 322
<code>\TELreset</code> .....	117, 123, 209
<code>\TELrightparen</code> .....	133, 191
<code>\telrightparen</code> .....	3, 133
<code>\TELslash</code> .....	129, 185
<code>\telslash</code> .....	3, 129
<code>\TELsp</code> .....	171, 172
<code>\TELspace</code> .....	125, 147, 149
<code>\telspace</code> .....	2, 2, 125
<code>\TELSplit</code> .....	168, 201, 207
<code>\TELSplitEND</code> .....	169, 201, 207
<code>\TELswitch</code> ....	146, 153, 155, 158, 165
<code>\TELtemp</code> .....	196
<code>\TELtilde</code> .....	137, 197
<code>\teltilde</code> .....	3, 137
<code>\TELToks</code> .....	139, 145, 151, 154,
	157, 164, 174, 179, 180, 182,
	185, 188, 191, 194, 197, 200, 206
<code>\TELx</code> .....	147, 149, 154
<code>\TELy</code> .....	147, 149, 157
<code>\Test</code> .....	284, 307
<code>\the</code> .....	77, 78, 79, 80,
	81, 82, 83, 84, 97, 145, 151, 154,
	157, 174, 179, 182, 185, 188,
	191, 194, 197, 200, 251, 271, 272
<code>\TMP@EnsureCode</code> .....	94,
	101, 102, 103, 104, 105, 106,
	107, 108, 109, 110, 111, 112, 113
<b>U</b>	
<code>\UnDeFiNeD</code> .....	115, 117, 209
<b>W</b>	
<code>\write</code> .....	23, 52
<b>X</b>	
<code>\x</code>	14, 15, 18, 22, 26, 28, 51, 56, 66, 75, 87